

Package ‘LifemapR’

March 20, 2024

Title Data Visualisation on 'Lifemap' Tree

Version 1.1.1

Imports leaflet, shiny, jsonlite, dplyr, tidyr, leaflet.minicharts,
htmltools, rlang, RCurl, fastmatch

Description Allow to visualise data on the NCBI phylogenetic tree as presented in Lifemap '<<http://lifemap.univ-lyon1.fr/>>'. It takes as input a dataframe with at least a ``taxid'' column containing NCBI format TaxIds and allows to draw multiple layers with different visualisation tools.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.1

Depends R (>= 3.5.0)

Suggests knitr

VignetteBuilder knitr

NeedsCompilation no

Author Cassandra Bompard [aut],
Damien M. de Vienne [aut],
Aur lie Siberchicot [ctb, cre]

Maintainer Aur lie Siberchicot <aurelie.siberchicot@univ-lyon1.fr>

Repository CRAN

Date/Publication 2024-03-20 15:40:02 UTC

R topics documented:

+.lifemap_obj	2
add_lm_branches	3
add_lm_markers	4
add_lm_piecharts	4
build_Lifemap	5
create_matrix	6
create_value_range	6

display_map	7
display_option	7
draw_Lifemap	8
eukaryotes_1000	9
eukaryotes_80	10
gen_res	11
is.lifemap_obj	11
is.lm_branches	12
is.lm_markers	12
is.lm_piecharts	13
kraken_res	13
lifemap	14
lm_branches	14
LM_eukaryotes	15
lm_markers	17
lm_piecharts	19
make_newick	20
pass_infos	20
pass_infos_discret	21
print.lifemap_obj	22

Index 23

+.lifemap_obj	<i>Add a graphical element to a tree visualisation.</i>
---------------	---

Description

Add a graphical element to a tree visualisation.

Usage

```
## S3 method for class 'lifemap_obj'
e1 + e2
```

Arguments

- | | |
|----|--|
| e1 | An object of class lifemap_obj that contains at least \$df, a dataframe, and \$basemap, the map used to get the coordinates. |
| e2 | A description of the graphical features wanted for a set of points (eg. markers, subtree, piecharts, ...). |

Value

A lifemap_obj object.

Examples

```
## Only run examples in interactive R sessions
if (interactive()) {
  data(LM_eukaryotes)
  LM_obj <- lifemap(LM_eukaryotes) + lm_markers() + lm_branches()
}
```

add_lm_branches	<i>Compute the aesthetics for a subtree visualisation.</i>
-----------------	--

Description

Compute the aesthetics for a subtree visualisation.

Usage

```
add_lm_branches(
  proxy,
  aes,
  df,
  df_visible,
  df_descendants,
  group_info,
  all_taxids
)
```

Arguments

proxy	The map to be modified.
aes	The dataframe containing the aesthetics details (must be of lm_branches class).
df	The full dataframe.
df_visible	The dataframe containing visible taxa.
df_descendants	The dataframe containing all the information on the descendants of visible taxa.
group_info	the ID of this group of lines.
all_taxids	A vector containing all the visible taxids and their direct descendants.

Value

An updated map with the new layer added.

add_lm_markers *Compute the aesthetics for markers visualisation.*

Description

Compute the aesthetics for markers visualisation.

Usage

```
add_lm_markers(proxy, aes, df, df_visible, group_info)
```

Arguments

proxy	The map to be modified.
aes	The dataframe containing the aesthetics information (must be of lm_markers class).
df	The full dataframe.
df_visible	The dataframe containing visible taxa.
group_info	The ID of this group of markers.

Value

An updated map with the new layer added.

add_lm_piecharts *Compute the aesthetics for discret values visualisation.*

Description

Compute the aesthetics for discret values visualisation.

Usage

```
add_lm_piecharts(proxy, aes, df, df_visible, layer)
```

Arguments

proxy	The map to be modified.
aes	The dataframe containing the aesthetics details (must be of lm_piecharts class).
df	The full dataframe.
df_visible	The dataframe containing visible taxa.
layer	The ID of this group of charts

Value

An updated map with the new layer added.

build_Lifemap	<i>A function to construct a LifemapR object, usable by the other functions of the package.</i>
---------------	---

Description

A function to construct a LifemapR object, usable by the other functions of the package.

Usage

```
build_Lifemap(df, basemap = c("ncbi", "base", "fr", "virus"), verbose = TRUE)
```

Arguments

df	A dataframe containing at least one column named "taxid" that contains NCBI Taxonomy Identifiers (taxid). The dataframe can contain any number of additional columns defining traits/characters/values associated to each taxid.
basemap	The chosen basemap for Lifemap ("fr", "ncbi", "base" or "virus").
verbose	If TRUE (the default), the function will print detailed information to the console. If FALSE, it will run silently.

Value

A list of class lifemap_obj containing:

- df : a dataframe containing at least for each taxid :
 - The x coordinate (lon)
 - The y coordonate (lat)
 - The scientific name (sci_name)
 - The zoom level at which the taxa is visible (zoom)
 - A list of its ascendants (ascend)
 - Its type ("requested" or "ancestor")
 - Its direct ancestor
 - Its type (type), i.e. whether the taxid was requested by the user ("requested") or if it is the ancestor of a requested taxid ("ancestor")
- basemap : the basemap used to get taxa's details

Examples

```
data(eukaryotes_80)
## Not run:
# make sure you have a good internet connection to load these very large files
LM <- build_Lifemap(eukaryotes_80, "fr")

## End(Not run)
```

create_matrix	<i>Create a dataframe for the ancestry.</i>
---------------	---

Description

Create a dataframe with pairs of taxids, each taxid and their corresponding values are associated with every one of its ancestors.

Usage

```
create_matrix(df, cols)
```

Arguments

df	A dataframe containing taxids and values.
cols	The columns containing the values which needs to be inferred.

Value

A dataframe.

Examples

```
data(LM_eukaryotes)

create_matrix(LM_eukaryotes$df, c("GC.", "Genes"))
```

create_value_range	<i>Compute a new scale for a value</i>
--------------------	--

Description

Compute a new scale for a value

Usage

```
create_value_range(value, df, df2, min, max)
```

Arguments

value	A vector of values.
df	The full dataframe.
df2	The dataframe containing visibles taxa.
min	The new minimum of the range.
max	The new maximum of the range.

Value

A vector of values.

display_map	<i>Create a Lifemap base.</i>
-------------	-------------------------------

Description

This function create a blank Leaflet map using the leaflet function from the leaflet package. If a dataframe is provided, it will be used for the creation of the map.

Usage

```
display_map(df = NULL, basemap = c("fr", "ncbi", "base", "virus"))
```

Arguments

df	A dataframe. If given, its columns can be easily accessed with "~" (eg. ~GC).
basemap	The basemap choosen to be displayed, it can be either : <ul style="list-style-type: none"> • 'fr' for https://lifemap-fr.univ-lyon1.fr/ • 'ncbi' for https://lifemap-ncbi.univ-lyon1.fr/ • 'base' for https://lifemap.univ-lyon1.fr/ • 'virus' for https://virusmap.univ-lyon1.fr/

Value

An HTML widget object with graphics layers.

Examples

```
display_map()
```

display_option	<i>Compute the different display options.</i>
----------------	---

Description

Compute the different display options.

Usage

```
display_option(m, aes, df, type, leaves, i)
```

Arguments

m	The map to be modified.
aes	The dataframe containing the aesthetics details
df	The full dataframe.
type	A string indicating the type of representation, either "markers" or "discret"
leaves	The Vector of all the terminal taxids.
i	The index of the aesthetics.

Value

An updated map.

draw_Lifemap	<i>Represent data on a Lifemap basemap.</i>
--------------	---

Description

Draw a map and all the aesthetics in the order you put them in, the last one will be on top of the others.

Usage

```
draw_Lifemap(lm_obj)
```

Arguments

lm_obj	A Lifemap object filled with aesthetics.
--------	--

Value

A shiny application

Examples

```
## Only run examples in interactive R sessions
if (interactive()) {
  data(LM_eukaryotes)
  lifemap(LM_eukaryotes) + lm_markers() + lm_branches()
}
```

eukaryotes_1000

NCBI information for 1000 eukaryotes

Description

A dataset containing NCBI information of 1000 eukaryotes. The variables are as follows:

Usage

```
data(eukaryotes_1000)
```

Format

A data frame with 1000 rows and 19 variables:

X.Organism.Name Organism name at the species level

taxid NCBI taxid

BioProject.Accession BioProject Accession number (from BioProject database)

BioProject.ID BioProject ID

Group Commonly used organism groups: Animals, Fungi, Plants, Protists

SubGroup NCBI Taxonomy level below group: Mammals, Birds, Fishes, Flatworms, Insects, Amphibians, Reptiles, Roundworms, Ascomycetes, Basidiomycetes, Land Plants, Green Algae, Apicomplexans, Kinetoplasts

Size..Mb. Total length of DNA submitted for the project

GC. Percent of nitrogenous bases (guanine or cytosine) in DNA submitted for the project

Assembly.Accession Name of the genome assembly (from NCBI Assembly database)

Replicons Number of replicons in the assembly

WGS Four-letter Accession prefix followed by version as defined in WGS division of GenBank/INSDC

Scaffolds Number of scaffolds in the assembly

Genes Number of Genes annotated in the assembly

Proteins Number of Proteins annotated in the assembly

Release.Date First public sequence release for the project

Modify.Date Sequence modification date for the project

Status Highest level of assembly: Chromosomes: one or more chromosomes are assembled Scaffolds or contigs: sequence assembled but no chromosomes

Center Origin of the sample

BioSample.Accession BioSample Accession number

 eukaryotes_80

 NCBI information for 80 eukaryotes

Description

A dataset containing NCBI information of 80 eukaryotes. The variables are as follows:

Usage

```
data(eukaryotes_80)
```

Format

A data frame with 80 rows and 19 variables:

X.Organism.Name Organism name at the species level

taxid NCBI taxid

BioProject.Accession BioProject Accession number (from BioProject database)

BioProject.ID BioProject ID

Group Commonly used organism groups: Animals, Fungi, Plants, Protists

SubGroup NCBI Taxonomy level below group: Mammals, Birds, Fishes, Flatworms, Insects, Amphibians, Reptiles, Roundworms, Ascomycetes, Basidiomycetes, Land Plants, Green Algae, Apicomplexans, Kinetoplasts

Size..Mb. Total length of DNA submitted for the project

GC. Percent of nitrogenous bases (guanine or cytosine) in DNA submitted for the project

Assembly.Accession Name of the genome assembly (from NCBI Assembly database)

Replicons Number of replicons in the assembly

WGS Four-letter Accession prefix followed by version as defined in WGS division of GenBank/INSDC

Scaffolds Number of scaffolds in the assembly

Genes Number of Genes annotated in the assembly

Proteins Number of Proteins annotated in the assembly

Release.Date First public sequence release for the project

Modify.Date Sequence modification date for the project

Status Highest level of assembly: Chromosomes: one or more chromosomes are assembled Scaffolds or contigs: sequence assembled but no chromosomes

Center Origin of the sample

BioSample.Accession BioSample Accession number

gen_res	<i>Genomic results</i>
---------	------------------------

Description

A dataset containing information on Genome size and TE content for 808 taxids

Usage

```
data(gen_res)
```

Format

A data frame with 808 rows and 3 variables:

taxid NCBI taxid

Genome_size the Genome size in pb

TEcontent_bp the transposable element content in pb

is.lifemap_obj	<i>Reports whether x is a lifemap_obj object.</i>
----------------	---

Description

Reports whether x is a lifemap_obj object.

Usage

```
is.lifemap_obj(x)
```

Arguments

x The object to test.

Value

A boolean indicating whether or not the object is of lifemap_obj type.

Examples

```
## Only run examples in interactive R sessions
if (interactive()) {
  data(LM_eukaryotes)
  is.lifemap_obj(LM_eukaryotes)
}
```

is.lm_branches	<i>Reports whether x is a lm_branches object.</i>
----------------	---

Description

Reports whether x is a lm_branches object.

Usage

```
is.lm_branches(x)
```

Arguments

x	The object to test.
---	---------------------

Value

A boolean indicating whether or not the object is of lm_branches type.

is.lm_markers	<i>Reports whether x is a lm_markers object.</i>
---------------	--

Description

Reports whether x is a lm_markers object.

Usage

```
is.lm_markers(x)
```

Arguments

x	The object to test.
---	---------------------

Value

A boolean indicating whether or not the object is of lm_markers type.

is.lm_piecharts	<i>Reports whether x is a lm_branches object.</i>
-----------------	---

Description

Reports whether x is a lm_branches object.

Usage

```
is.lm_piecharts(x)
```

Arguments

x The object to test.

Value

A boolean indicating whether or not the object is of lm_piecharts type.

kraken_res	<i>Kraken results</i>
------------	-----------------------

Description

A dataset containing NCBI information of 1000 eukaryotes. The variables are as follows:

Usage

```
data(kraken_res)
```

Format

A data frame with 4427 rows and 6 variables:

coverage_percent Percentage of fragments covered by the clade rooted at this taxon

coverage_number Number of fragments covered by the clade rooted at this taxon

fragment_number Number of fragments assigned directly to this taxon

rank A rank code, indicating (U)nclassified, (R)oot, (D)omain, (K)ingdom, (P)hylum, (C)lass, (O)rder, (F)amily, (G)enus, or (S)pecies. Taxa that are not at any of these 10 ranks have a rank code that is formed by using the rank code of the closest ancestor rank with a number indicating the distance from that rank. E.g., "G2" is a rank code indicating a taxon is between genus and species and the grandparent taxon is at the genus rank.

taxid NCBI taxonomic ID number

name Indented scientific name

lifemap	<i>Initialise a new Lifemap visualisation.</i>
---------	--

Description

Initialise a lifemap_obj object. It can be used to describe aesthetics like the zoom level at which taxids becomes visible...

Usage

```
lifemap(lm_obj, zoom = 4)
```

Arguments

lm_obj	lifemap_obj object used for data visualisation.
zoom	The level of zoom for which values are displayed (if zoom = 0 only the nodes at the current zoom level or lower can have their values displayed).

Value

A lifemap_obj object.

lm_branches	<i>Add a "branches" layer to a lifemap_obj object.</i>
-------------	--

Description

Add a "branches" layer to a lifemap_obj object.

Usage

```
lm_branches(
  data = NULL,
  color = NULL,
  var_color = NULL,
  size = 5,
  min = 2,
  max = 20,
  opacity = 0.5,
  FUN = NULL,
  legend = TRUE,
  legendPosition = c("topright", "bottomright", "bottomleft", "topleft")
)
```

Arguments

data	A sub dataset to use, if NULL then all of the taxids from the lifemap object given to lifemap() will be used.
color	Either a color for the branches or a palette if a variable is used to represent branches' color.
var_color	A column name of the original dataframe to represent this variable by the color of branches.
size	Either a numeric for the branche's thickness or a variable to be represented by the branche's thickness.
min	An integer indicating the minimal thickness of the branches if the size is a column name.
max	An integer indicating the maximal thickness of the branches if the size is a column name.
opacity	An integer indicating branche's opacity.
FUN	The function to be applied to infer values. If NULL values won't be inferred
legend	A logical indicating whether or not to display the legend.
legendPosition	c("topright", "bottomright", "bottomleft", "topleft"), the position of the legend.

Value

An lm_branches object containing all aesthetics details for one layer of branches

Examples

```
data(LM_eukaryotes)

lm_branches(var_color = "GC.", color = "Accent")

lm_branches(data = LM_eukaryotes$df[LM_eukaryotes$df$Group %in% "Plants",])
```

LM_eukaryotes	<i>Transformation in a LifemapR format of NCBI information for 1000 eukaryotes</i>
---------------	--

Description

A dataset containing NCBI information of 1000 eukaryotes. The variables are as follows:

Usage

```
data(LM_eukaryotes)
```

Format

A lifemap object - a list containing the basemap used to fetch data and df, a data frame with 2760 rows and 26 variables:

X.Organism.Name Organism name at the species level

taxid NCBI taxid

BioProject.Accession BioProject Accession number (from BioProject database)

BioProject.ID BioProject ID

Group Commonly used organism groups: Animals, Fungi, Plants, Protists

SubGroup NCBI Taxonomy level below group: Mammals, Birds, Fishes, Flatworms, Insects, Amphibians, Reptiles, Roundworms, Ascomycetes, Basidiomycetes, Land Plants, Green Algae, Apicomplexans, Kinetoplasts

Size..Mb. Total length of DNA submitted for the project

GC. Percent of nitrogenous bases (guanine or cytosine) in DNA submitted for the project

Assembly.Accession Name of the genome assembly (from NCBI Assembly database)

Replicons Number of replicons in the assembly

WGS Four-letter Accession prefix followed by version as defined in WGS division of GenBank/INSDC

Scaffolds Number of scaffolds in the assembly

Genes Number of Genes annotated in the assembly

Proteins Number of Proteins annotated in the assembly

Release.Date First public sequence release for the project

Modify.Date Sequence modification date for the project

Status Highest level of assembly: Chromosomes: one or more chromosomes are assembled Scaffolds or contigs: sequence assembled but no chromosomes

Center Origin of the sample

BioSample.Accession BioSample Accession number

lon longitude of taxids on a specific basemap

lat latitude of taxids on a specific basemap

sci_name scientific name of taxids

zoom zoom of taxids on a specific basemap

ascend the list of all ancestors of taxids on a specific basemap

type either "requested" if the taxid was given, "ancestor" if gotten from the database

ancestor the direct ancestor of taxids on a specific basemap

lm_markers	<i>add a "markers" layer to a lifemap_obj object.</i>
------------	---

Description

Adds a layer with circles that can represent data. The main parameters that can be used to represent data are the following:

- radius
- var_fillColor
- var_color (stroke's color)

Usage

```
lm_markers(
  data = NULL,
  radius = 10,
  min = 10,
  max = 40,
  fillColor = NULL,
  var_fillColor = NULL,
  fillOpacity = 0.8,
  stroke = FALSE,
  color = NULL,
  var_color = NULL,
  weight = 1,
  opacity = 0.8,
  legend = TRUE,
  legendPosition = c("topright", "bottomright", "bottomleft", "topleft"),
  legendOrientation = c("vertical", "horizontal"),
  legendOpacity = 0.5,
  FUN = NULL,
  display = c("auto", "requested", "all", "leaves"),
  popup = NULL,
  label = NULL
)
```

Arguments

data	A sub dataset to use, if NULL then all of the taxids from the lifemap object given to lifemap() will be used.
radius	Either a numerical value or a column name of the original dataframe to represent this variable by the size of markers.
min	An integer indicating the minimal size of the markers if radius is a column name.
max	An integer indicating the maximal size of the markers if radius is a column name.

fillColor	Either a color or a palette if the fillColor is represented by a variable.
var_fillColor	A column name of the original dataframe to represent this variable by the fill-Color of markers.
fillOpacity	A numeric indicating the fill opacity.
stroke	A logical indicating whether to draw a border for markers.
color	The stroke color. Either a color or a palette if the stroke color is represented by a variable.
var_color	A column name of the original dataframe to represent this variable by the stroke color.
weight	The stroke width in pixels.
opacity	The stroke opacity.
legend	Whether to display the legend or not.
legendPosition	c("topright", "bottomright", "bottomleft", "topleft").
legendOrientation	c("vertical", "horizontal").
legendOpacity	Legend opacity (applies on the shapes in the legend, not the background itself).
FUN	The function to be applied to infer values. If NULL then the information missing from the parent nodes won't be inferred.
display	c("auto", "requested", "all", "leaves"), a string indicating how to display markers : <ul style="list-style-type: none"> • "auto" : the markers are displayed depending on the zoom level, by default, allow to have a lot of markers • "requested" : only displays the requested taxa, but all at the same time • "all" : displays all the taxa including all the ancestors to the root • "leaves" : displays only the latest (most recent) taxa (WARNING : "requested", "leaves" and "auto" shouldn't be used to display more than 2000 markers as it may result in long computing time).
popup	A column name indicating what to display when clicking on a node.
label	A column name indicating what to display when hovering on a node.

Value

An `lm_markers` object containing all aesthetics details for one layer of markers.

Examples

```
data(LM_eukaryotes)

lm_markers(data = LM_eukaryotes$df[LM_eukaryotes$df$Group %in% "Plants", ])

lm_markers(radius = "GC.", var_fillColor = "Genes")
```

lm_piecharts	Add a "piecharts" layer to a lifemap_obj object.
--------------	--

Description

Add a "piecharts" layer to a lifemap_obj object.

Usage

```
lm_piecharts(
  data = NULL,
  param,
  type = c("pie", "bar", "polar-area", "polar-radius", "auto"),
  width = 30,
  height = 30,
  opacity = 1,
  showLabels = FALSE,
  pal = "Accent",
  legend = TRUE,
  legendPosition = c("topright", "bottomright", "bottomleft", "topleft"),
  display = c("auto", "requested", "all", "leaves")
)
```

Arguments

data	A sub dataset to use, if NULL then all of the taxids from the lifemap object given to lifemap() will be used.
param	A column name indicating the discret variable to be represented.
type	The type of chart to draw.
width	The maximal width of the charts.
height	The maximal height of the charts.
opacity	The chart's opacity.
showLabels	A boolean indicating whether to display the values directly on the chart or not.
pal	The palette to be used for the charts.
legend	A boolean indicating whether to draw the legend or not.
legendPosition	c("topright", "bottomright", "bottomleft", "topleft"). Where should the legend be placed.
display	c("auto", "requested", "all", "leaves"), a string indicating how to display charts : <ul style="list-style-type: none"> • "auto" : the markers are displayed depending on the zoom level, by default, allow to have a lot of charts • "requested" : only displays the requested taxa, but all at the same time • "all" : displays all the taxa including all the ancestors to the root • "leaves" : displays only the latest (most recent) taxa (WARNING : "requested", "leaves" and "auto" shouldn't be used to display more than 2000 charts as it may result in long computing time)

Value

An `lm_piecharts` object containing all aesthetics details for one layer of charts

Examples

```
data(LM_eukaryotes)
```

```
lm_piecharts(param = "Status")
```

```
lm_piecharts(data = LM_eukaryotes$df[LM_eukaryotes$df$Group %in% "Plants", ], param = "Status")
```

`make_newick`

Create a newick for the given dataset.

Description

Create a newick for the given dataset.

Usage

```
make_newick(df)
```

Arguments

`df` A dataframe either enriched with by the `build_Lifemap` function or containing at least two columns :

- "taxid" containing NCBI format taxids
- "ancestor" containing for each taxid, it's direct ancestor in the phylogeny

Value

A character string.

`pass_infos`

Infer numerical values to nodes.

Description

Infer numerical values to nodes.

Usage

```
pass_infos(M, FUN, value)
```

Arguments

M	The dataframe returned by create_matrix.
FUN	The function to be applied when inferring the values.
value	The column name to which the function applies.

Value

An array of values.

Examples

```
data(LM_eukaryotes)
infos <- create_matrix(LM_eukaryotes$df, c("GC.", "Genes"))
inferred_values <- pass_infos(M = infos, FUN = mean, value = "GC.")
```

pass_infos_discret *Infer discret values to nodes for lm_piecharts function.*

Description

Infer discret values to nodes for lm_piecharts function.

Usage

```
pass_infos_discret(M, value)
```

Arguments

M	The dataframe returned by create_matrix.
value	The column name represented as piecharts.

Value

A dataframe containing the TaxIDs and as many columns as there are distinct values.

Examples

```
data(LM_eukaryotes)
infos <- create_matrix(LM_eukaryotes$df, "Status")
inferred_values <- pass_infos_discret(M = infos, value = "Status")
```

print.lifemap_obj *Method to print lifemap_obj objects.*

Description

Method to print lifemap_obj objects.

Usage

```
## S3 method for class 'lifemap_obj'  
print(x, ...)
```

Arguments

x An lifemap_obj.
... Further arguments passed to or from other methods.

Value

Either a description of the dataframe and basemap used for the lm_obj object, or a shiny application if aesthetics are furnished

Examples

```
## Only run examples in interactive R sessions  
if (interactive()) {  
  data(LM_eukaryotes)  
  print(LM_eukaryotes)  
}
```

Index

- * **datasets**
 - eukaryotes_1000, [9](#)
 - eukaryotes_80, [10](#)
 - gen_res, [11](#)
 - kraken_res, [13](#)
 - LM_eukaryotes, [15](#)
- +.lifemap_obj, [2](#)
- add_lm_branches, [3](#)
- add_lm_markers, [4](#)
- add_lm_piecharts, [4](#)
- build_Lifemap, [5](#)
- create_matrix, [6](#)
- create_value_range, [6](#)
- display_map, [7](#)
- display_option, [7](#)
- draw_Lifemap, [8](#)
- eukaryotes_1000, [9](#)
- eukaryotes_80, [10](#)
- gen_res, [11](#)
- is.lifemap_obj, [11](#)
- is.lm_branches, [12](#)
- is.lm_markers, [12](#)
- is.lm_piecharts, [13](#)
- kraken_res, [13](#)
- lifemap, [14](#)
- lm_branches, [14](#)
- LM_eukaryotes, [15](#)
- lm_markers, [17](#)
- lm_piecharts, [19](#)
- make_newick, [20](#)
- pass_infos, [20](#)
- pass_infos_discret, [21](#)
- print.lifemap_obj, [22](#)